

Analysis certificate

REPORT

Report code : C6606248 revision of C6604120
 Sample code : BLL231207939
 Date of receipt : 7-12-2023
 Analysis start date : 8-12-2023
 Report date : 14-12-2023
 Methods used : LC-MSMS (A090, A104 & A178, own method)

Sampled by : not by NGAC

SAMPLE*

Description : Goji bessen
 Organic : Yes
 Country of origin : China
 Traceability code : Batch 2023-001

The results in the report apply to the investigated sample as received.

RESULTS OF RESIDUE ANALYSIS

Method	Component	Unit	Concen-tration	MRL EU	Standard Organic	MRL EU %
LC-MSMS	Flonicamid-TFNA	mg/kg	0.053		0.01	
LC-MSMS	Flonicamid (sum)	mg/kg	0.064	7	0.01	0.91
Number of active substances (EU): 1			Sum			0.91

* information provided by customer

MRL EU: Maximum Residue Limit as in Regulation (EC) 396/2005, consolidated version. The MRLs shown have been compiled with the utmost care on the basis of public information, Normec Groen Agro Control cannot be held liable for any errors.

Explanation Revision

At the request of the customer "MRL with processing factor" has been added.

Report Notes

Maximum residue level according to European Regulation 396/2005 using a processing factor 14 for the Netherlands.
 Flonicamid (sum): sum of flonicamid, TFNA and TFNG expressed as flonicamid.

The standard measurement uncertainty for pesticides is 50%, based on SANTE/11312/2021.
 Partial reproduction of this report is only allowed with written permission.



General manager



ir. J. de Vriend

Analysis certificate

REPORT

Report code	:	C6601541	Sampled by		: not by NGAC
Sample code	:	BGL231129644			
Date of receipt	:	29-11-2023			
Analysis start date	:	29-11-2023			
Report date	:	4-12-2023			
Methods used	:	Glyphosate LCMSMS (A104 & A131, own method)			

SAMPLE*

Description	:	Goji Bessen
Organic	:	Yes
Country of origin	:	China
Traceability code	:	Batch 2023-001
GGN/GLN	:	

The results in the report apply to the investigated sample as received.

RESULTS OF RESIDUE ANALYSIS

Method	Component	Unit	Concen-tration	MRL EU	Standard Organic	MRL EU %	ARFD PRIMO NL %
Glyphosate	AMPA Q	mg/kg	<0.01				
Glyphosate	Glyphosate Q	mg/kg	<0.01				
Glyphosate	Glufosinate Q	mg/kg	<0.01				
Glyphosate	MPPA (3-[hydroxy(methyl)phosphinoyl]propionic	mg/kg	<0.01				
Glyphosate	NAG (N-acetyl-glufosinate)	mg/kg	<0.01				

Number of active substances (EU): 0

The components investigated and their reporting limit that have been analyzed with the used method are mentioned in the analysis list Pesticides NGAC fruit and vegetables version 28, www.agrocontrol.nl.

* information provided by customer

'<': No residue detected above the LOQ. MRL EU: Maximum Residue Limit as in Regulation (EC) 396/2005, consolidated version. The MRLs shown have been compiled with the utmost care on the basis of public information, Normec Groen Agro Control cannot be held liable for any errors. ARFD: Acute Reference Dose.




Normec Groen Agro Control is registered by the Dutch Accreditation Council RvA for test laboratories under number L335 in accordance with ISO/IEC 17025. The parameters marked with 'Q' have been analyzed under accreditation. The standard measurement uncertainty for pesticides is 50%, based on SANTE/11312/2021. Details regarding the used methods and measurement uncertainty per parameter are available on request.

Partial reproduction of this report is only allowed with written permission.



General manager



ir. J. de Vriend

Lijst van componenten en hun rapportagegrens in mg/kg

1,4-dimethylnaftaleen	0.01	Chloor-3-Methylfenol	0.01	Demeton-S-methyl	Q	0.01
2,4,6-Trichloorfenol	0.01	Chlooraniline (3-)	Q	0.01	Demeton-S-methylsulfon	0.01
2,4-D-Methylester	0.01	Chloorbenzide	0.01	Desmetryn	Q	0.01
2,6-Dichloorbenzamide	0.01	Chloorbenzilaat	Q	0.01	Diaphenthiuron	0.02
2-Fenylhydrochinon	0.01	Chloorbromuron	0.01	Dialifos		0.01
8-Hydroxyquinoline	0.01	Chloorkbufam	0.01	Diallaat		0.01
Acetochloor	0.01	Chloordaan	Q	0.01	Diazinon	Q 0.01
Acibenzolar-S-methyl	0.01	Chloordecon	0.01	Dichlobenil	Q	0.01
Aclonifen	Q 0.01	Chloorfenapyr	Q 0.01	Dichlofenthion	Q	0.01
Acrinathrin	Q 0.01	Chloorfenson	0.01	Dichlofluanide		0.01
Alachcloor	0.01	Chloorfenvinfos ($\alpha+\beta$)	Q 0.01	Dichlooraniline (3,4-)		0.01
Aldrin	Q 0.01	Chloorfluazuron	0.01	Dichlooraniline (3,5-)		0.01
Allethrin	0.01	Chloormefos	0.01	Dichloorprop-2-ethyl-hexyl		0.01
Ametoctradin	0.01	Chlooroxuron	Q 0.01	Dichloorprop-methyl		0.02
Ametryn	0.01	Chloorprofam	Q 0.01	Dichloorvos	Q	0.01
Aminocarb	0.01	Chloorpropylaat	Q 0.01	Dichlorofen		0.01
Amiprofosh-Methyl	0.01	Chloorprifos-ethyl	Q 0.01	Diclobutrazool	Q	0.01
Antraquinon	0.01	Chloorprifos-methyl	Q 0.01	Diclofop-methyl		0.01
Atrazine	0.01	Chloorthal-dimethyl	Q 0.01	Dicloran	Q	0.01
Azaconazool	Q 0.01	Chloorthalonil	Q 0.01	Dicofol	Q	0.01
Azinfos-ethyl	Q 0.01	Chloorthiosfos	0.01	Dicrotofos		0.01
Azinfos-methyl	0.02	Chloorthiosfos-sulfon	0.01	Dieldrin	Q	0.01
Aziprotryn	0.01	Chloorthion	0.01	Diethofencarb	Q	0.01
Azoxystrobine	Q 0.01	Chlorobenzuron	0.01	Difenamid	Q	0.01
Barban	0.01	Chloroneb	0.01	Difenoconazool	Q	0.01
Benalaxyl	Q 0.01	Chlozolinaat	Q 0.01	Difenofoxuron		0.01
Benazolin-ethyl	0.01	Cinidon-ethyl	0.01	Difenylamine	Q	0.01
Bendiocarb	0.01	Cinmethylin	0.01	Diflubenzuron	Q	0.01
Benfluralin	Q 0.01	Climbazool	0.01	Diflufenican		0.01
Benfuracarb (als carbofuran)	0.01	Clodinafop-propargyl	0.01	Dimethachloor		0.01
Benodanil	0.01	Clofentezine	Q 0.01	Dimethenamid-p	Q	0.01
Benzovindiflupyr	0.01	Cloquintocet-mexyl	0.01	Dimethipin		0.01
Benzoylprop-ethyl	0.01	Coumafos	0.01	Dimethirimol		0.01
Bifenazaat	Q 0.01	Crimidine	0.01	Dimethoaat	Q	0.01
Bifenox	0.01	Crotoxyfos	0.01	Dimethomorf	Q	0.01
Bifenthrin	Q 0.01	Crufomaat	0.01	Dimethylvinfos		0.01
Bifenyel (=difenyel)	Q 0.01	Cyanazin	0.01	Dimoxystrobin	Q	0.01
Bitertanol	Q 0.01	Cyanofenos	0.01	Diniconazool	Q	0.01
Boscalid	Q 0.01	Cyanofos	0.01	Dinobuton		0.1
Bromacil	0.01	Cycloaat	0.01	Dinoseb		0.01
Bromocyclen	0.01	Cyclopраat	0.01	Dinoterb		0.01
Bromofos-ethyl	Q 0.01	Cyenopyrafen	0.01	Dioxabenzofos		0.01
Bromofos-methyl	Q 0.01	Cyfenothrin	0.01	Dioxacarb		0.01
Bromoxynil-methyl	0.01	Cyfluthrin	Q 0.03	Dioxathion		0.01
Bromoxynil-octanoaat	0.01	Cyhalofop-butyl	Q 0.01	Dipropetryn		0.01
Bromuconazool	Q 0.01	Cymiazool	0.01	Disulfoton	Q	0.01
Broompropylaat	Q 0.01	Cypermethrin	Q 0.01	Disulfoton-sulfon		0.01
Bupirimaat	Q 0.01	Cyproconazool	Q 0.01	Ditalimfos	Q	0.01
Buprofezin	Q 0.01	Cyprodinil	Q 0.01	DMSA		0.01
Butachcloor	0.01	Cyprofuram	0.01	DMST		0.01
Butralin	Q 0.01	Dazomet	0.01	DNOC		0.01
Butylaat	0.01	DDD (o,p)	Q 0.01	Dodemorf	Q	0.01
Cadusafos	Q 0.01	DDD (p,p)	Q 0.01	Edifenfos		0.01
Captafol	0.01	DDE (o,p)	Q 0.01	Endosulfan-alfa	Q	0.01
Captan (als THPI)	0.01	DDE (p,p)	Q 0.01	Endosulfan-beta	Q	0.01
Carbaryl	Q 0.01	DDT (o,p)	Q 0.01	Endosulfan-sultaat	Q	0.01
Carbofenothion	Q 0.01	DDT (p,p)	Q 0.01	Endrin	Q	0.01
Carbofuran	Q 0.01	DEET	0.01	Endrin-ketone*		0.01
Carbofuran-3-OH	Q 0.01	Deltamethrin	Q 0.01	EPN	Q	0.01
Carbofuran-fenol	Q 0.01	Demeton-O	0.01	Epoxygenazool	Q	0.01
Carboxin	0.01	Demeton-O-sulfoxide	0.01	EPTC		0.01
Chinomethionaat	0.01	Demeton-S	0.01	Etaconazool		0.01

Lijst van componenten en hun rapportagegrens in mg/kg

Ethalfluralin	0.01	Fluoronitrofen	0.01	Leptofos	0.01
Ethiofencarb	0.01	Fluotrimazool	0.01	Lufenuron	Q 0.01
Ethion	Q 0.01	Fluquinconazool	Q 0.01	Malaoxon	0.01
Ethofumesaat	0.01	Flurenol-butyl	0.01	Malathion	Q 0.01
Ethofumesaat, 2-keto	0.01	Flurochloridon	0.01	Mecarbam	Q 0.01
Ethopropofos	Q 0.01	Fluroxypyrr-1-methyl	0.01	Mefenpyr-diethyl	0.01
Ethoxyquin	Q 0.01	Flusilazool	Q 0.01	Mefosolan	0.01
Etofenprox	Q 0.01	Flutolanil	Q 0.01	Mepanipyrim	Q 0.01
Etoxazool	Q 0.01	Flutriafol	Q 0.01	Mepronil	Q 0.01
Etridiazool	Q 0.01	Fluvalinaat (tau-)	Q 0.01	Metalaxyl/metalaxyl-M	Q 0.01
Etrimfos	Q 0.01	Folpet (als fthalimide)	0.01	Metamitron	0.1
Famofos (Famfur)	0.01	Fonofos	Q 0.01	Metazachloor	Q 0.01
Famoxadone	0.01	Foraat	0.01	Metconazool	Q 0.01
Fenamifos	0.01	Foraat-sulfon	Q 0.01	Methabenzthiazuron	0.01
Fenarimol	Q 0.01	Foraat-sulfoxide	Q 0.01	Methacrifos	0.01
Fenazaquin	Q 0.01	Fosalon	Q 0.01	Methidathion	Q 0.01
Fenbuconazool	Q 0.01	Fosfamidon	0.01	Methiocarb	Q 0.01
Fenchloorfos	0.01	Fosmet	0.01	Methopreen	0.01
Fenhexamide	0.01	Fosthiazaat	0.01	Methoprotyne	0.01
Fenithrothion	Q 0.01	Fthalimide (degr. folpet)	0.01	Methoxychloor	Q 0.01
Fenmedifam	0.01	Fuberidazool	0.01	Metabromuron	Q 0.01
Fenobucarb	0.01	Furalaxyll	Q 0.01	Metolachloor-S	Q 0.01
Fenothrin	Q 0.01	Furathiocarb	Q 0.01	Metolcarb	0.01
Fenoxaprop-p	0.01	Furmecyclox	0.01	Metoxuron	0.01
Fenoxy carb	Q 0.01	Halifenprox	0.01	Metrafenon	Q 0.01
Fenpiclonil	Q 0.01	Haloxyfop-ethoxyethyl	Q 0.01	Metribuzin	Q 0.01
Fenpropathrin	Q 0.01	Haloxyfop-p-methyl	Q 0.01	Mevinfos	Q 0.01
Fenpropidin	0.01	HCH-alfa	0.01	Mirex	Q 0.01
Fenpropimorf	Q 0.01	HCH-beta	0.01	Monalide	0.01
Fenson	0.01	HCH-delta	0.01	Monocrotofos	0.01
Fensulfothion	0.01	HCH-gamma (Lindaan)	Q 0.01	Monolinuron	0.01
Fensulfothion-sulfon	0.01	Heptachloor	Q 0.01	Myclobutanil	Q 0.01
Fenthion	Q 0.01	Heptachloorepoxide	Q 0.01	Naftol-1-alpha	0.01
Fenthion-sulfoxide	Q 0.01	Heptenofos	Q 0.01	Naled	0.01
Fenthoaat	Q 0.01	Hexachloor-1,3-butadiene	0.01	Napropamide	0.01
Fenuron	0.01	Hexachloorbenzeen	Q 0.01	Nicotine	0.01
Fenvaleraat (incl. esfenvaleraat)	Q 0.01	Hexaconazool	Q 0.01	Nitralin	0.01
Fenylfenol-2	Q 0.01	Hexaflumuron	0.01	Nitrapyrine	0.01
Fipronil	Q 0.005	Hexazinon	0.01	Nitrofen	Q 0.01
Fipronil-carboxamide*	0.005	Hexythiazox	Q 0.01	Nitrothal-isopropyl	Q 0.01
Fipronil-desulfanyl*	0.005	Hydroprene	0.01	Norflurazon	0.01
Fipronil-sulfide*	Q 0.005	Imazamethabenz-methyl	0.01	Nuarimol	Q 0.01
Fipronil-sulfone	Q 0.005	Indoxacarb (R+S)	Q 0.01	Ofurace	0.01
Flamprop-M-isopropyl	0.01	Ioxynil methyl	0.01	Orbencarb	0.01
Flamprop-M-methyl	0.01	Ioxynil octanoaat	0.01	Oxadiargyl	0.01
Flonicamid	Q 0.01	Iprobenfos	Q 0.01	Oxadiazon	0.01
Fluazifop-p-butyl	0.01	Iprodion	Q 0.01	Oxadixyl	Q 0.01
Fluazinam	Q 0.01	Iprovalicarb	Q 0.01	Oxycarboxin	0.01
Flubendiamide	0.01	Isazofos	0.01	Oxychoordaan	0.01
Fluchloralin	0.01	Isodrin	0.01	Oxyfluorfen	0.01
Flucycloxuron	0.01	Isofenfos	0.01	Paclobutrazol	Q 0.01
Flucythrinaat	Q 0.01	Isofenfos-methyl	Q 0.01	Paraoxon	0.01
Fludioxonil	Q 0.01	Isofenfos-oxon	0.01	Paraoxon-methyl	0.01
Fluensulfon	0.01	Isoprocarb	0.01	Parathion-ethyl	Q 0.01
Flufenacet	Q 0.01	Isoprothiolane	0.01	Parathion-methyl	Q 0.01
Flufenoxuron	Q 0.01	Isoproturon	0.01	Pebulaat	0.01
Flufenzin	0.01	Isoxadifen-ethyl	0.01	Penconazool	Q 0.01
Flumethrin	0.01	Joodfenfos	0.01	Pencycuron	Q 0.01
Flumioxazin	Q 0.01	Karanjin*	0.01	Pendimethalin	Q 0.01
Fluometuron	0.01	Kresoxim-methyl	Q 0.01	Pentachlooraniline	Q 0.01
Fluopicolide	Q 0.01	Lambda-cyhalothrin	Q 0.01	Pentachlooranisole	Q 0.01
Fluorodifen	0.01	Lenacil	0.01	Pentachloorbenzeen	0.01

Lijst van componenten en hun rapportagegrens in mg/kg

Pentachloorfenol	0.01	Pyrethrinen (cinerin/jasmolin/pyrethrin)	Q	0.1	Terbutylazine	Q	0.01
Penthiopyrad	0.01	Pyribenzoxim		0.01	Terbutryn		0.01
Permethrin	Q 0.01	Pyridaben		Q 0.01	Tetrachloorvinfos	Q	0.01
Perthaan	0.01	Pyridafenthion		Q 0.01	Tetraconazool	Q	0.01
Picolinafen	Q 0.01	Pyridalyl		Q 0.01	Tetradifon	Q	0.01
Picoxystrobin	Q 0.01	Pyrifenoxy		Q 0.01	Tetrahydrophthalimide (degr. captan)		0.01
Piperonyl-butoxide	Q 0.01	Pyrimethanil		Q 0.01	Tetramethrin		0.01
Pirimicarb	Q 0.01	Pyriproxyfen		Q 0.01	Tetrasul		0.01
Pirimicarb-desmethyl*	Q 0.01	Pyroquilon		0.01	Thiobencarb		0.01
Pirimifos-ethyl	Q 0.01	Quinalfos		Q 0.01	Thiocyclam		0.01
Pirimifos-methyl	Q 0.01	Quinoxifen		Q 0.01	Thiometon		0.01
Prochloraz	Q 0.1	Quintozeen		Q 0.01	Thiometon-sulfon		0.01
Procymidon	Q 0.01	Quizalofop-ethyl		0.01	Tolclofos-methyl	Q	0.01
Profam	Q 0.01	Resmethrin		0.01	Tolfenpyrad		0.01
Profenos	Q 0.01	S 421		0.01	Tolylfluanide	Q	0.01
Profluralin	Q 0.01	Secbumeton		0.01	Transfluthrin		0.01
Profoxydim-lithium	0.01	Sethoxydim		0.01	Triadimefon	Q	0.01
Promecarb	0.01	Silafluofen		0.01	Triadimenol	Q	0.01
Prometryn	0.01	Silthiofam		0.01	Triallaat		0.01
Propachloor	0.01	Simazin		Q 0.01	Triamifos		0.01
Propachloor, 2-OH	0.01	Spirodiclofen		Q 0.01	Triazamaat		0.01
Propafos	0.01	Spiromesifen		Q 0.01	Triazofos	Q	0.01
Propanil	0.01	Spiroxamine		Q 0.01	Trichloronaat		0.01
Propargiet	Q 0.01	Sulfotep		Q 0.01	Tricyclazool		0.01
Propazine	0.01	Sulprofos		0.01	Tridifan		0.01
Propetamfos	0.01	Tebuconazool		Q 0.01	Trietazine		0.01
Propiconazool	Q 0.01	Tebufenpyrad		Q 0.01	Trifenmorf		0.01
Propoxur	Q 0.01	Tebupirimfos		0.01	Trifloxystrobin	Q	0.01
Propyzamide	Q 0.01	Tebuthiuron		0.01	Triflumizool	Q	0.01
Proquinazide	Q 0.01	Tecnazeen		Q 0.01	Trifluralin	Q	0.01
Prosulfocarb	Q 0.01	Teflubenzuron		Q 0.01	Trinexapac-ethyl		0.01
Prothiofos	Q 0.01	Tefluthrin		Q 0.01	Vernolaat		0.01
Prothoaat	0.01	Tepraloxydim		0.01	Vinclozolin	Q	0.01
Pyracarbolidine	0.01	Terbacil		0.01	Zoxamide	Q	0.01
Pyraclofos	0.01	Terbufos		Q 0.01	Zwavel*		0.5
Pyraflufen-ethyl	Q 0.01	Terbufos-sulfon		Q 0.01			
Pyrazofos	Q 0.01	Terbumeton		0.01			

Lijst van componenten en hun rapportagegrens in mg/kg

1-naftylazijnzuur	0.01	Carbendazim	Q	0.01	Diflubenzuron	Q	0.01		
1-Naphthaleneacetamide	0.01	Carbetamide	Q	0.01	Dimethenamid-p		0.01		
2,4,5-T	0.01	Carbofuran	Q	0.005	Dimethirimol	Q	0.01		
2,4-D	0.01	Carbofuran-3-OH	Q	0.005	Dimethoaat	Q	0.01		
2,4-DB	0.05	Carbosulfan	Q	0.01	Dimethomorf	Q	0.01		
4-Chloorfenoxoxyazijnzuur	0.01	Carboxin	Q	0.01	Dimoxystrobin	Q	0.01		
6-Benzylaminopurine	0.01	Carfentrazone-ethyl	Q	0.01	Diniconazool	Q	0.01		
Abamectine/avermectine (B1a+B1b)	Q	0.01	Carpropamide	Q	0.01	Dinosam		0.01	
Acefaat	Q	0.01	Chloorbromuron	Q	0.01	Dinotefuran	Q	0.01	
Acequinocyl	Q	0.01	Chloorfenvinfos ($\alpha+\beta$)	Q	0.01	Dipropetryn		0.01	
Acetamiprid	Q	0.01	Chloorfluazuron		0.01	Disulfoton	Q	0.05	
Acibenzolar-S-methyl	0.01	Chloorpyrifos-ethyl	Q	0.01	Disulfoton-sulfon	Q	0.01		
Acibenzolarzuur	0.1	Chloorpyrifos-methyl	Q	0.01	Disulfoton-sulfoxide	Q	0.01		
Alachloor	Q	0.01	Chloorthiamide	Q	0.01	Dithianon		0.01	
Alanycarb		Chloorthiosof		Q	0.01	Diuron	Q	0.01	
Aldicarb	Q	0.01	Chloortoluron	Q	0.01	DMSA	Q	0.01	
Aldicarb-sulfon	Q	0.01	Chlorantraniliprole	Q	0.01	DMST	Q	0.01	
Aldicarb-sulfoxide	Q	0.01	Chlordimeform	Q	0.01	Dodemorf	Q	0.01	
Ametoctradin	Q	0.01	Chloridazon	Q	0.01	Dodine	Q	0.01	
Amidosulfuron		Chloridazon-desfenyl		Q	0.01	Emamectin	Q	0.01	
Amisulbrom		Chlorobenzuron		Q	0.01	EPN	Q	0.02	
Amitraz		Chromafenozide		Q	0.01	Epoxiconazool	Q	0.01	
Amitraz DMF (2,4-Dimethyl-formamide)	0.01	Cinosulfuron		Q	0.01	Etaconazool	Q	0.01	
Amitraz DMF (2,4-Dimethylphenyl-1-methyl-formamide)	Q	0.01	Clethodim	Q	0.01	Ethametsulfuron-methyl		0.01	
Amitraz-DMA (2,4-Dimethylaniline)	Q	0.01	Clethodim-sulfon		Q	0.01	Ethiofencarb	Q	0.01
Anilazin	0.03	Clethodim-sulfoxide		Q	0.01	Ethiofencarb-sulfon		0.01	
Anilofos		Climbazool		Q	0.01	Ethiofencarb-sulfoxide	Q	0.01	
Asulam	Q	0.01	Clodinafop		Q	0.01	Ethion	Q	0.01
Atrazine	Q	0.01	Clofentezine	Q	0.01	Ethiprole	Q	0.01	
Atrazine-desethyl	Q	0.01	Clomazone	Q	0.01	Ethirimol	Q	0.01	
Azaconazool	Q	0.01	Clopyralid		Q	0.01	Ethofumesaat	Q	0.01
Azadirachtin	Q	0.01	Clothianidin	Q	0.01	Ethopros	Q	0.01	
Azamethifos	Q	0.01	Cyantraniliprole	Q	0.01	Ethoxysulfuron	Q	0.01	
Azimsulfuron		Cyazofamide	Q	0.01	Etofenprox	Q	0.01		
Azinfos-methyl	Q	0.01	Cyclanilide		Q	0.01	Etoxazool	Q	0.01
Azoxystrobine	Q	0.01	Cycloxydim	Q	0.01	Famoxadone	Q	0.01	
Benfuracarb (als carbofuran)	0.01	Cyenopyrafen		Q	0.01	Fenamidone	Q	0.01	
Benomyl (als carbendazim)	0.01	Cyflufenamide	Q	0.01	Fenamifos	Q	0.01		
Benoxacor		Cyflumetofen	Q	0.01	Fenamifos-sulfon	Q	0.01		
Bensulfuron-methyl	Q	0.01	Cyhexatin / Azocyclotin		Q	0.01	Fenamifos-sulfoxide	Q	0.01
Bentazon	0.01	Cymoxanil	Q	0.01	Fenarimol	Q	0.01		
Bentazon-8-OH	0.01	Cypoconazool	Q	0.01	Fenazaquin	Q	0.01		
Benthiavalicarb-isopropyl	0.01	Cyprodinil	Q	0.01	Fenbuconazool	Q	0.01		
Bifenazaat diazene	0.01	Cyromazin	Q	0.01	Fenbutatinoxide	Q	0.01		
Bispyribac	0.01	Cythioaat	Q	0.01	Fenchloorfos-oxon	Q	0.01		
Bistrifluron	0.01	Dalapon		Q	0.01	Fenhexamide	Q	0.01	
Bitertanol	Q	0.01	Demeton-S-methyl	Q	0.05	Fenisofam		0.01	
Bixafen	Q	0.01	Demeton-S-methylsulfon	Q	0.01	Fenithrothion	Q	0.03	
Boscalid	Q	0.01	Desmedifam	Q	0.01	Fenkapton		0.01	
Bromacil	Q	0.01	Diafenthiuron	Q	0.01	Fenmedifam	Q	0.01	
Bromoxynil		Diazinon	Q	0.01	Fenoprop		0.01		
Bromuconazool	Q	0.01	Dicamba		Q	0.02	Fenothrin	Q	0.01
Bupirimaat	Q	0.01	Dichlofluanide	Q	0.01	Fenoxy carb	Q	0.01	
Buprofezin	Q	0.01	Dichloprop		Q	0.01	Fenpicoxamide		0.01
Butafenacil	Q	0.01	Dichlorovos	Q	0.01	Fenpropidin	Q	0.01	
Butocarboxim	Q	0.01	Dichlorofen		Q	0.01	Fenpropimorf	Q	0.01
Butocarboxim-sulfon	Q	0.01	Diclobutrazool	Q	0.01	Fenpyrazamin		0.01	
Butocarboxim-sulfoxide	Q	0.01	Diclofop		Q	0.01	Fenpyroximaat		0.01
Buturon	Q	0.01	Dicrotofos	Q	0.01	Fensulfothion		0.01	
Cadusafos	Q	0.01	Diethofencarb	Q	0.01	Fensulfothion-oxon	Q	0.01	
Captafol	Q	0.1	Difenoconazool	Q	0.01	Fensulfothion-oxon-sulfone	Q	0.01	
Carbaryl	Q	0.01	Difethialone	Q	0.01	Fensulfothion-sulfon	Q	0.01	

Lijst van componenten en hun rapportagegrens in mg/kg

Fenthion	Q	0.01	Imazalil	Q	0.01	Milbemectin (A3+A4)	0.01
Fenthion-oxon		0.01	Imazamox		0.01	Molinaat	Q 0.01
Fenthion-oxon-sulfone	Q	0.01	Imazapic		0.01	Monocrotofos	Q 0.01
Fenthion-oxon-sulfoxide		0.01	Imazapyr		0.01	Monolinuron	Q 0.01
Fenthion-sulfone	Q	0.01	Imazaquin	Q	0.01	Monuron	Q 0.01
Fenthion-sulfoxide	Q	0.01	Imazethapyr	Q	0.01	Myclobutanil	Q 0.01
Fentin		0.01	Imibenconazool		0.01	Naled	0.01
Flamprop-M-methyl		0.01	Imidacloprid		0.01	Napropamide	Q 0.01
Flazasulfuron		0.01	Indanofan		0.01	Naptalam	0.01
Flonicamid	Q	0.01	Indaziflam		0.01	Neburon	Q 0.01
Flonicamid-TFNA	Q	0.01	Indoxacarb (R+S)	Q	0.01	Nicosulfuron	Q 0.01
Flonicamid-TFNG	Q	0.01	Iodosulfuron-methyl		0.01	Nitenpyram	Q 0.01
Florasulam	Q	0.01	Ioxynil		0.01	Novaluron	Q 0.01
Fluazifop		0.01	Iprobenfos	Q	0.01	Nuarimol	Q 0.01
Fluazifop-p-butyl	Q	0.01	Iprovalicarb		0.01	Omethoaat	Q 0.01
Fluazinam		0.01	Isocarbofos		0.01	Orizalin	0.1
Flubendiamide	Q	0.01	Isofetamid		0.01	Orthosulfamuron	0.01
Flubenzimine	Q	0.01	Isoprothiolane		0.01	Oxadiargyl	0.01
Flufenacet	Q	0.01	Isoproturon		0.01	Oxadixyl	Q 0.01
Flufenacet alcohol	Q	0.01	Isopyrazam		0.01	Oxamyl	Q 0.01
Flufenacet oxalaat		0.01	Isouron		0.01	Oxamyl-oxim*	Q 0.01
Flufenacet sulfonzuur		0.01	Isoxaben		0.01	Oxasulfuron	Q 0.01
Flufenacet thioglycolaat sulfoxide		0.01	Isoxaflutool		0.01	Oxathiapiprolin	0.01
Flufenoxuron	Q	0.01	Isoxaflutool-diketonitril		0.01	Oxycarboxin	Q 0.01
Flumethrin		0.1	Isoxathion		0.01	Oxydemeton-methyl	0.01
Flumioxazin	Q	0.01	Kresoxim-methyl		0.01	Paclobutrazol	Q 0.01
Fluometuron	Q	0.01	Landrin (2,3,5 en 3,4,5)		0.01	Paraoxon	Q 0.01
Fluopyram	Q	0.01	Lenacil		0.01	Paraoxon-methyl	Q 0.01
Fluoxastrobin	Q	0.01	Linuron		0.01	Penconazool	Q 0.01
Flupyradifurone	Q	0.01	Lufenuron		0.01	Pencycuron	Q 0.01
Fluquinconazool	Q	0.01	Malaoxon		0.01	Penflufen	0.01
Fluroxypyrr		0.01	Malathion		0.01	Penoxsulam	0.01
Flurprimidool	Q	0.01	Mandipropamid		0.01	Picoxystrobin	Q 0.01
Flusilazool	Q	0.01	Matrine		0.05	Pinoxaden	0.01
Fluthiacet-methyl	Q	0.01	MCPA		0.01	Piperalin	Q 0.01
Flutianil		0.01	MCPB		0.01	Piperonyl-butoxide	Q 0.01
Flutolanil	Q	0.01	Mecoprop		0.01	Pirimicarb	Q 0.01
Flutriafol	Q	0.01	Mefenacet		0.01	Pirimicarb-desmethyl*	Q 0.01
Fluxapyroxad		0.01	Mefentrifluconazole		0.01	Pirimifos-methyl	Q 0.01
Foraat	Q	0.01	Mefosfanol		0.01	Prochloraz	Q 0.01
Foraat-sulfon	Q	0.01	Mepanipyrim		0.01	Prochloraz BTS44595	0.01
Foraat-sulfoxide		0.01	Mepanipyrim 2-OH-propyl*		0.01	Prochloraz BTS44596	0.01
Forchlorfenumuron	Q	0.01	Mepronil		0.01	Profenofos	Q 0.01
Formetanaat (incl. hydrochloride)	Q	0.1	Meptyldinocap		0.01	Propachlor ESA	0.03
Formothion		0.01	Mesosulfuron methyl		0.01	Propamocarb	Q 0.01
Fosalon	Q	0.01	Mesotrione		0.01	Propaqvizafop	Q 0.01
Fosfamidon	Q	0.01	Metaflumizone		0.01	Propargiet	Q 0.01
Fosmet	Q	0.01	Metalexyl/metalaxyl-M		0.01	Propiconazool	Q 0.01
Fosmetoxon		0.01	Metamifop		0.01	Propisochloor	0.01
Fosthiazaat	Q	0.01	Metazachloor		0.01	Propoxur	Q 0.01
Foxim		0.01	Metconazool		0.01	Propoxycarbazon	Q 0.01
Furathiocarb	Q	0.01	Methamidofos		0.01	Propyzamide	Q 0.01
Halofenozide	Q	0.01	Methidathion		0.01	Proquinazide	Q 0.01
Halosulfuron-methyl		0.01	Methiocarb		0.01	Prosulfocarb	Q 0.01
Haloxyfop	Q	0.01	Methiocarb-sulfon		0.01	Prosulfuron	Q 0.01
Heptenofos	Q	0.01	Methiocarb-sulfoxide		0.01	Prothiocarb	Q 0.1
Hexachlorofeen		0.01	Methomyl		0.01	Prothioconazool-desthio	Q 0.01
Hexaconazool	Q	0.01	Methoxyfenozide		0.01	Pydiflumetofen	0.01
Hexythiazox	Q	0.01	Metobromuron		0.01	Pymetrozine	Q 0.01
Hydroprene		0.01	Metominostrobin E-		0.01	Pyraclostrobin	Q 0.01
Hymexazol	Q	0.05	Metoxuron		0.01	Pyridaat	Q 0.01
Icaridine		0.01	Metsulfuron-methyl		0.01	Pyridaat CL 9673	0.01

Q: Geaccrediteerde componenten (Raad voor Accreditatie, registratienummer L335)

* Deze component wordt alleen op verzoek gerapporteerd

Lijst van componenten en hun rapportagegrens in mg/kg

Pyridaben	Q 0.01	Sulcotrione	Q 0.01	Tolylfluanide	Q 0.01
Pyridafenthion	Q 0.01	Sulfamethoxazol	Q 0.01	Topramezone	Q 0.01
Pyrifenoxy	Q 0.01	Sulfentrazon	0.01	Tralkoxydim	0.01
Pyrimethanil	Q 0.01	Sulfosulfuron	Q 0.01	Tralomethrin	Q 0.01
Pyrimidifen	0.01	Sulfoxaflor (RR+SR)	Q 0.01	Triadimefon	Q 0.01
Pyriofenone	0.01	Tebuconazool	Q 0.01	Triapenthenol	Q 0.01
Pyriproxyfen	Q 0.01	Tebufenozide	Q 0.01	Triasulfuron	0.01
Pyroxasulfon	0.01	Tebufenpyrad	Q 0.01	Triazamaat	0.01
Pyroxulam	Q 0.01	Teflubenzuron	Q 0.01	Triazofos	Q 0.01
Quassia	0.01	Tembotrione	Q 0.01	Triazoxide	0.01
Quinalfos	Q 0.01	TEPP	0.01	Tribenuron-methyl	Q 0.01
Quinclorac	Q 0.01	Terbufos	Q 0.05	Trichloofron	Q 0.01
Quinmerac	Q 0.01	Terbufos-sulfon	Q 0.01	Triclopyr	0.02
Quinoclamine	Q 0.01	Terbufos-sulfoxide	Q 0.01	Tricyclazool	Q 0.01
Quizalofop	0.01	Terbutylazine	Q 0.01	Tridemorph	Q 0.01
Quizalofop-p-tefuryl	0.01	Tetraconazool	Q 0.01	Trifloxystrobin	Q 0.01
Rimsulfuron	Q 0.01	Thiabendazool	Q 0.01	Triflumizool	Q 0.01
Rotenon	Q 0.01	Thiabendazool-5-OH*	0.01	Triflumizool FM-6-1	0.01
Saflufenacil	0.01	Thiacloprid	Q 0.01	Triflumuron	Q 0.01
Sedaxane	0.01	Thiamethoxam	Q 0.01	Triflusulfuron methyl	Q 0.01
Spinetoram (J+L)	Q 0.01	Thidiazuron	0.01	Triforine	Q 0.01
Spinosad	Q 0.01	Thien carbazole-methyl	0.01	Trinexapac	0.01
Spirodiclofen	Q 0.01	Thiodicarb	Q 0.01	Trinexapac-ethyl	0.01
Spiromesifen	Q 0.01	Thiofanaat-methyl	Q 0.01	Triticonazool	Q 0.01
Spirotetramat	Q 0.01	Thiofanox	0.01	Tritosulfuron	0.01
Spirotetramat-enol	Q 0.01	Thiofanox-sulfon	Q 0.01	Uniconazool	Q 0.01
Spirotetramat-enol-glucoside*	Q 0.01	Thiofanox-sulfoxide	Q 0.01	Valifenalaat	0.01
Spirotetramat-ketohydroxy*	Q 0.01	Thiometon-sulfon	0.01	Vamidothion	Q 0.01
Spirotetramat-monohydroxy*	Q 0.01	Tolclofos-methyl	Q 0.01	Warfarine	0.01
Spiroxamine	Q 0.01	Tolfenpyrad	Q 0.01	Zoxamide	Q 0.01

Lijst van componenten en hun rapportagegrens in mg/kg

Component	Q	Analyse-methode	Rapportage-grens
Amines en morfoline Morfoline, Triethanolamine, N,N-Diethylethanolamine, N,N-Dimethylethanolamine, 1-methoxy-2-propylamin, 3-Methoxypropylamin, 2-Amino-2-methyl-1propanol Diethanolamine		LC-MS/MS, A134	0.1 0.3
Amitrole		LC-MS/MS, A135	0.05
6-Benzyladenine		LC-MS/MS, A138	0.01
Totaal anorganisch bromide	Q	IC, A039	5
Chloormequat, Mepiquat	Q	LC-MS/MS, A100	0.005
Diquat, Paraquat	Q	LC-MS/MS, A133	0.01
Dithiocarbamaten Som van: Ferbam, Mancozeb, Maneb, Metiram, Nabam, Propineb, Thiram, Zineb, Ziram	Q	GC-MS, als CS2, A066	0.01 CS2
Ethefon	Q	GC-FID, als etheen, A080	0.05
Ethefon	Q	LC-MS/MS, A131	0.01
Ethyleenoxide, 2-chloorethanol	Q	GC-MSMS, A088 + A178	0.01
Fosethyl-aluminium Fosforgt zuur	Q	LC-MS/MS, A131	0.01 0.01
Gibberellinezuur		LC-MS/MS	0.01
Glyfosaat, Glufosinaat, AMPA MPPA, NAG	Q	LC-MS/MS, A131	0.01
Guazatine		LC-MS/MS	0.01
Maleine Hydrazide		LC-MS/MS, A136	0.05
Matrine, Oxymatrine		LC-MS/MS, A090 + A178	0.01
Nitraat	Q	Analyser, A081/A089	70
Nitraat (laag), Nitriet		HPEA-IC, A081/A089 + A039	5
Perchloraat, Chloraat	Q	LC-MS/MS, A131	0.01
Prohexadion-calcium		LC-MS/MS	0.01
Quaternaire ammoniumverbindingen Didecyldimethylammoniumchloride (DDAC; C10) Didecyldimethylammoniumchloride (DDAC; C8, C12) Benzalkonium chloride (BAC; C10, C12, C14, C16, C18) Benzalkonium chloride (BAC; C8) Cetrimonium	Q Q	LC-MS/MS, A103	0.01
Sulfiet		Williams methode, A163	5.0
Thiourea (metabolieten van dithiocarbamaten) Ethyleenthioureum (ETU), Propyleenthioureum (PTU)		LC-MS/MS, A137	0.01

Lijst van componenten en hun rapportagegrens in mg/kg

Component	Q	Analyse-methode	Rapportage-grens
Trimethyl-sulfonium		LC-MS/MS	0.01
Zure pesticiden na hydrolyse 2.4-D, 2.4.5-T, 2.4-DB, Dichloorprop, Fluazifop, Haloxyfop, MCPA, MCPB, Quizalofop		LC-MS/MS, A090 + A178	0.01
Zware Metalen		ICP-MS, A068 + A095	
Aluminium	Q		0.5
Arseen	Q		0.02
Barium	Q		0.05
Cadmium	Q		0.01
Chroom	Q		0.02
Cobalt	Q		0.05
Koper	Q		0.02
Kwik	Q		0.01
Lood	Q		0.01
Nikkel	Q		0.05
Tin	Q		0.01
Zilver	Q		0.01
Zink	Q		0.1