



中国认可  
国际互认  
检测  
TESTING  
CNAS L10449

## Analytical Report

Sample Code	128-2023-00071808	Report date	20-Oct-2023
Certificate No.	AR-23-VV-071141-01		



Sample Code:	128-2023-00071808
Client Sample Code:	K2211NLD0339/1
Sample described as:	ORGANIC SHINE SKIN PUMPKIN KERNELS GRADE AA Lotnr. PC1612112/1222
Sample Packaging:	Sealed plastic bag
Sample reception date:	13-Oct-2023
Analysis Starting Date:	13-Oct-2023
Analysis Ending Date:	17-Oct-2023
Arrival Temperature (°C)	23.1
Sample Type	Solid

	Results	Unit	LOQ	LOD
△ VV10H Aflatoxins B1, B2, G1, G2 Method: GB 5009.22-2016 First method				
Aflatoxin B1	<LOQ	µg/kg	0.1	
Aflatoxin B2	<LOQ	µg/kg	0.2	
Aflatoxin G1	<LOQ	µg/kg	0.1	
Aflatoxin G2	<LOQ	µg/kg	0.2	
Sum of Aflatoxins B1,B2,G1,G2	N/A	µg/kg		

### SIGNATURE

Huinan Zhou  
Authorized Signatory



**EXPLANATORY NOTE**

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

※ means the test is analyzed at the second site of the company, other means analyzed at the first site

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Qingdao) Co., Ltd.

△ CNAS

△ means the test is subcontracted within Eurofins group

○ means the test is subcontracted outside Eurofins group

---

END OF REPORT

---



Eurofins Technology Service (Qingdao) Co., Ltd.

Site I: Floor 2, Building 6, No.368 Hestong Road,  
High-tech District, Shandong Province, P.R.China  
Site II: Building 1, No.117 Henglong Road, High-tech District,  
Qingdao, Shandong Province, P.R.China



Phone +86 400 076 1880

[www.eurofins.cn](http://www.eurofins.cn)



Scan QR code to view report



中国认可  
国际互认  
检测  
TESTING  
CNAS L10449

## Analytical Report

Sample Code	128-2023-00071807	Report date	20-Oct-2023
Certificate No.	AR-23-VV-071728-01		



Sample Code:	128-2023-00071807
Client Sample Code:	K2211NLD0339/1
Sample described as:	ORGANIC SHINE SKIN PUMPKIN KERNELS GRADE AA Lotnr. PC1612112/1222
Sample Packaging:	Sealed plastic bag
Sample reception date:	13-Oct-2023
Analysis Starting Date:	13-Oct-2023
Analysis Ending Date:	18-Oct-2023
Arrival Temperature (°C)	23.1
Sample Type	Solid

		Results	Unit	LOQ	LOD
△ VV00B	Coliforms Method: ISO 4832:2006				
	Coliforms	<10	cfu/g		
△ VV00D	Yeast and moulds Method: ISO 21527-2: 2008				
	Moulds	10	cfu/g		
	Yeast	<10	cfu/g		
△ VV00E	Salmonella Method: ISO 6579-1:2017				
	Salmonella	Not Detected	/25 g		
△ VV00P	Aerobic plate count Method: ISO 4833-1:2013				
	Aerobic plate count	860	cfu/g		
△ VV0A4	Escherichia coli Method: ISO 16649-2:2001				
	Escherichia coli	<10	cfu/g		

### SIGNATURE

Berton Zhang  
Authorized Signatory



**EXPLANATORY NOTE**

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

△ CNAS

&lt; LOQ: Below Limit of Quantification

☆ means the test is subcontracted within Eurofins group

N/A means Not applicable

◎ means the test is subcontracted outside Eurofins group

※ means the test is analyzed at the second site of the company, other means analyzed at the first site

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Qingdao) Co., Ltd.

END OF REPORT



Eurofins Technology Service (Qingdao) Co., Ltd.

Site I: Floor 2, Building 6, No.368 Hegong Road,  
High-tech District, Shandong Province, P.R.China  
Site II: Building A, No.1 Fengtong Road, High-tech District,  
Qingdao, Shandong Province, P.R.China

Phone +86 400 076 1880

www.eurofins.cn



Scan QR code to view report





Alex Stewart  
Agriculture



中国认可  
国际互认  
检测  
TESTING  
CNAS L7474

## ALEX STEWART (AGRICULTURE) CHINA LTD

Building 4,15 JinYang Road HuaQiao KunShan Jiangsu China  
Tel:+86 512 36872626 Email:marketing@alexstewartagriculture.com.cn



Report Verification

### Analytical Report

Report No	TS231020868
Sample No	TS231020868
Applicant	
Client	K2211NLD0339/1
Production Address	/
Sample Name	ORGANIC SHINE SKIN PUMPKIN KERNELS GRADE AA
Sample Lot No	Lotnr. PC1612112/1222
Sample Description	Normal
Sample Packaging	In Bulk
Sample Weight	500g
Received Date	2023-10-12
Report Date	2023-10-16

### Analytical Results

Parameter	Method	Results	LOQ	Unit	Instrument
388 Pesticide residues	GB 23200.9-2016	ND	See appendix	mg/kg	GC-MS/MS
168 Pesticide residues	GB/T 20770-2008	ND	See appendix	mg/kg	LC-MS/MS
*Glyphosate	ASACN-05	ND	0.01	mg/kg	LC-MS/MS
*Glufosinate-Ammonium	ASACN-05	ND	0.01	mg/kg	LC-MS/MS
*Aminomethyl Phosphonic Acid	ASACN-05	ND	0.01	mg/kg	LC-MS/MS
Chlormequat	ASACN-01	ND	0.01	mg/kg	LC-MS/MS
Mepiquat	ASACN-01	ND	0.01	mg/kg	LC-MS/MS
*2,4-D	ASACN-01	ND	0.01	mg/kg	LC-MS/MS
*Ethephon	ASACN-01	ND	0.01	mg/kg	LC-MS/MS
*2-Chloroethanol	ASACN-52	ND	0.01	mg/kg	GC-MS/MS
*Ethylene oxide	ASACN-52	ND	0.01	mg/kg	GC-MS/MS
*Ethylene oxide (sum of ethylene oxide and 2-Chloroethanol)	ASACN-52	ND	/	mg/kg	GC-MS/MS

Remark 1: Above are those parameters result(s), detailed parameters refer to below page(s).

Remark 2: Please add those items, which mean those items are not in CNAS accreditation scope of the laboratory.



Authorized Signatory

ALEX STEWART (AGRICULTURE) CHINA LTD

The report results only relate to the samples as received and analysed. No partial copies of this report are allowed at any time without the written permission of the laboratory; ALEX STEWART Alex Stewart General Terms and Conditions apply, which are available on request. ASACN-RP-241



Parameter addendum

Parameter	Method	Instrument
388 Pesticide residues	GB 23200.9-2016	GC-MS/MS
*o,p' -DDT(0.01)	*Chlorfenapyr(0.01)	*Propachlor(0.01)
*Fipronil(0.01)	*BHC(0.01)	*Fenvalerate(0.01)
*Dicofol(0.01)	*Terbutryn(0.01)	*Carfentrazone-Ethyl(0.01)
*PCB 198(0.01)	*PCB 138(0.01)	*PCB 101(0.01)
*PCB 52(0.01)	*PCB 118(0.01)	*PCB 5(0.01)
*2,4' -Dichlorobenzophenone(0.01)	*2,4' -Dicofol(0.01)	*2,4-D butylate(0.01)
*3,4,5-Trimethacarb(0.01)	*4,4' -Dichlorobenzophenone(0.01)	*PCB 3(0.01)
*N-(2,4-Dimethylphenyl)-formamide(0.01)	*o,p' -DDE(0.01)	*p,p' -DDE(0.01)
*p,p' -Dicofol(0.01)	*Esfenvalerate(0.01)	*Endosulfan I(alpha isomer)(0.01)
* $\alpha$ -BHC(0.01)	*Endosulfan II(beta isomer)(0.01)	* $\gamma$ -BHC( Lindane)(0.01)
* $\epsilon$ -HCH(0.01)	*Bis(2,3,3,3-tetrachloropropyl) ether(0.01)	*Chlorothalonil(0.01)
*Furmecyclo(0.01)	*Azinphos-methyl(0.01)	*Fenthion sulfone(0.01)
*Fenthion(Sum)(0.01)	*Acibenzolar-S-methyl(0.01)	*Aclonifen(0.01)
*Cyanofenphos(0.01)	*EPN(0.01)	*Metamitron(0.01)
*Zoxamide(0.01)	*Fenpropidin(0.01)	*Diflufenican(0.01)
*Pymetrozine(0.01)	*Prosulfocarb(0.01)	*Diclobutrazol(0.01)
*Halfenprox(0.01)	*Flumioxazin(0.01)	*Profenophos(0.01)
*Chloropropylate(0.01)	*Trietazine(0.01)	*Nitrofen(0.01)
*DDT(Sum)(0.01)	*Dieldrin(Sum)(0.01)	*Dichlobenil(0.01)
*Desmetryn(0.01)	*Diuron(0.01)	*Dinitramin(0.01)
*Iodofenphos(0.01)	*Fenpropimorph(0.01)	*Boscalid(0.01)
*Trichloronate(0.01)	*Famoxadone(0.01)	*Bendiocarb(0.01)
*Dimethachlor(0.01)	*Trans-fenfluthrin(0.01)	*Trans-nonachlor(0.01)
*Trans-deltamethrin(0.01)	*Fenfluthrin(0.01)	*Phenkaption(0.01)
*Fensulfothion sulfon(0.01)	*Fensulfothion(sum)(0.01)	*Flurprimidol(0.01)
*Furathiocarb(0.01)	*Picolinafen(0.01)	*Acrinathrin(0.01)
*Norflurazon-desmethyl(0.01)	*Fipronil-sulfone(0.01)	*Fipronil sulfide(0.01)
*Fipronil(sum)(0.01)	*Silafluofen(0.01)	*Epoxiconazole(0.01)
*Flometralin(0.01)	*Triflumizole(0.01)	*Triflumizole metabolite(0.01)
*Triflumizole(Sum)(0.01)	*Fluquinconazole(0.01)	*Flufenacet(0.01)
*Fluchloralin(0.01)	*Simeconazole(0.01)	*Profluralin(0.01)
*Ancymidol(0.01)	*Phorate sulfone(0.01)	*Phorate Sulfoxide(0.01)
*Phorate-oxon-sulfone(0.01)	*Parathion-methyl(Sum)(0.01)	*Demeton-S-methyl(0.01)
*Carbophenothon-methyl(0.01)	*Methyl-pentachlorophenyl-sulfide(0.01)	*Isafenphos-methyl(0.01)
*Methiocarb(0.01)	*Methiocarb(Sum)(0.01)	*Carbaryl(0.01)
*Bifenox(0.01)	*Cloquintocet-mexyl(0.01)	*Cyenopyrafen(0.01)
*Fluazifop-P-butyl(0.01)	*Quizalofop-P-ethyl(0.01)	*Monocrotophos(0.01)
*Bromuconazole(0.01)	*Bromuconazole(Sum)(0.01)	*Pirimicarb-desmethyl(0.01)

The report results only relate to the samples as received and analysed. No partial copies of this report are allowed at any time without the written permission of the laboratory; ALEX STEWART Alex Stewart General Terms and Conditions apply, which are available on request.

ASACN-RF-241





*Pirimicarb(Sum)(0.01)	*Captan(0.01)	*Fenazaquin(0.01)
*Quinoxifen(0.01)	*Dimethoate(0.01)	*Dimethoate(Sum)(0.01)
*Phthalimide(0.01)	*Phosphamidon(0.01)	*Endosulfan (sum)(0.01)
*Endosulfan,Sulfat(0.01)	*HCH(sum)(0.01)	*Chlordane(sum)(0.01)
*Spiroxamine(0.01)	*Spiromesifen(0.01)	*Malathion(Sum)(0.01)
*Malaoxon(0.01)	*Promecarb(0.01)	*Prochloraz(0.01)
*Dimoxystrobin(0.01)	*Pirimiphos-ethyl(0.01)	*Acoxystrobin(0.01)
*Fluacrypyrim(0.01)	*Bentazone(0.01)	*Methomyl-oxime(0.01)
*Methomyl(Sum)(0.01)	*Folpet(0.01)	*Folpet(Sum)(0.01)
*Triticonazole(0.01)	*Aequinacyl(0.01)	*Methiocarb-sulfoxide(0.01)
*Tebutam(0.01)	*Heptachlor-endo-epoxide(0.01)	*Fenchlorphos(0.01)
*Fenchlorphos(Sum)(0.01)	*Prometon(0.01)	*Tefluthrin(0.01)
*Heptachlor(Sum)(0.01)	*Atrazine,Desethyl-(0.01)	*Propyzamide(0.01)
*Buprofezin(0.01)	*Fosthiazate(0.01)	*Tricyclazole(0.01)
*Nitrypyrim(0.01)	*Dicofol(Sum)(0.01)	*Dipropetryn(0.01)
*Oxamyl(0.01)	*Pentanochlor(0.01)	*Propamocarb(0.01)
*CIS fenfluthrin(0.01)	*Cis-nonachlor(0.01)	*CIS deltamethrin(0.01)
*Transfluthrin(0.01)	*Cis-1,2,3,6-Tetrahydropthalimide(0.01)	*Mevinphos(E)(0.01)
*Mevinphos(Z)(0.01)	*Mevinphos(Sum)(0.01)	*Metolcarb(0.01)
*Terbacil(0.01)	*Terbumeton(0.01)	*Heptachlor-epoxide(0.01)
*Pentachloroaniline(0.01)	*Pentachloroanisole(0.01)	*Quintozone(Sum)(0.01)
*Isomethiozin(0.01)	*Hydroprene(0.01)	*Dimethomorph(E)(0.01)
*Dimethomorph(Z)(0.01)	*Dimethomorph(Sum)(0.01)	*Diniconazole(0.01)
*Diniconazole(Z)(0.01)	*Diniconazole(Sum)(0.01)	*Bromoxynil octanoate(0.01)
*Bromfenvinfos(0.01)	*Bromophos-methyl(0.01)	*Imibenconazole(0.01)
*Chlordane-oxy(0.01)	*Omethoate(0.01)	*Fenchlorphos-oxon(0.01)
*Metconazol(0.01)	*Disulfoton sulfone(0.01)	*Disulfoton(Sum)(0.01)
*Chlozolinate(0.01)	*Ethiofencarb(0.01)	*Ethiofencarb(Sum)(0.01)
*Isoprofururon(0.01)	*Iprodione metabolite(0.01)	*Ametryn(0.01)
*MGK-264(zengxiaoan)(0.01)	*Cyprofiram(0.01)	*Sulfotep(0.01)
*Tiocarbazil(0.01)	*Fenobucarb(0.01)	*Triazamate(0.01)
o,p' -DDD(0.01)	PCB 180(0.01)	PCB 153(0.01)
PCB 28(0.01)	p,p' -DDD(0.01)	p,p' -DDT(0.01)
$\beta$ -BHC(0.01)	$\delta$ -BHC(0.01)	Aramite(0.01)
Aldrin(0.01)	Formothion(0.01)	Tetramethrin(0.01)
Fenthion(0.01)	Fenthion sulfoxide(0.01)	Propham(0.01)
Difenoconazole(0.01)	Benalaxyli(0.01)	Kresoxim-methyl(0.01)
Fenoxycarb(0.01)	Pyriproxyfen(0.01)	Pyraflufen-Ethyl(0.01)
Tebufenpyrad(0.01)	Metazachlor(0.01)	Propiconazole (0.01)
Propoxur(0.01)	Cycloate(0.01)	Methacrifos(0.01)
Fenson(0.01)	Dichlofenthion(0.01)	Pyridaben(0.01)

The report results only relate to the samples as received and analysed. No partial copies of this report are allowed at any time without the written permission of the laboratory; ALEX STEWART Alex Stewart General Terms and Conditions apply, which are available on request.

ASACN-RP-244



Pyridaphenthion(0.01)	Phenthoate(0.01)	Isoprothiolane(0.01)
Dieldrin(0.01)	Propanil(0.01)	Chlorthal-dimethyl(0.01)
Dichlorvos(0.01)	Dioxaphfnon(0.01)	Edifenphos(0.01)
Chloroneb(0.01)	Butachlor(0.01)	Ethalfluralin(0.01)
Pyrazophos(0.01)	Pynifenoxy(0.01)	Picoxystrobin(0.01)
Chlorfenvinphos(0.01)	Chlorpyrifos(0.01)	Parathion(0.01)
Paclobutrazol(0.01)	Oxadiazon(0.01)	Oxadixyl(0.01)
Anthraquinone(0.01)	Diphenylamine(0.01)	Dimethenamid(0.01)
Pendimethalin(0.01)	trans-Chlordane(0.01)	Fensulfothion(0.01)
Benfuratesat(0.01)	Ofurace(0.01)	Phosalone(0.01)
Fluvalinate(0.01)	Butafenacil(0.01)	Beaufluralin(0.01)
Flusilazole(0.01)	Trifluralin(0.01)	Cyfluthrin(0.01)
Tetraconazole(0.01)	Flucythrinate(0.01)	Flutolanil(0.01)
Procymidone(0.01)	Lambda-cyhalothrin(0.01)	Heptenophos(0.01)
Dimepiperate(0.01)	Cloamazone(0.01)	Cyproconazole(0.01)
Hexazinone(0.01)	Hexaconazole(0.01)	Methamidophos(0.01)
Phorate(0.01)	Alachlor(0.01)	Chlorpyrifos-methyl(0.01)
Parathion-methyl(0.01)	Tolclofos-methyl(0.01)	Pirimiphos-methyl(0.01)
Fenpropothrin(0.01)	Metalaxylyl(0.01)	Methoxychlor(0.01)
Benoxacor(0.01)	Fenbuconazole(0.01)	Myclobutanil(0.01)
S-metolachlor(0.01)	Pirimicarb(0.01)	Quinalphos(0.01)
Linuron(0.01)	Biphenyl(0.01)	Bifenthrin(0.01)
Bitertanol(0.01)	2-phenylphenol(0.01)	Cadusafos(0.01)
Hexachlorobenzene(0.01)	Fludioxonil(0.01)	Chlorpropham(0.01)
Fenarimol(0.01)	Chlorbufam(0.01)	Cyhalothrin(0.01)
Permethrin(0.01)	Chlorthion(0.01)	Cypermethrin(0.01)
Chlorbenside(0.01)	Dicloran(0.01)	Isazofos(0.01)
Malathion(0.01)	Etofenprox(0.01)	Mepanipyrim(0.01)
Cyprodinil(0.01)	Pyrimethanil(0.01)	Ethoprophos(0.01)
Mepronil(0.01)	Mecarbam(0.01)	Mirex(0.01)
Piperophos(0.01)	Prometryn(0.01)	Propazine(0.01)
Heptachlor(0.01)	Metribuzin(0.01)	Clodinafop-Propargyl(0.01)
Fluotrimazole(0.01)	Tralkoxydim(0.01)	Carbophenothion(0.01)
Tetradifon(0.01)	Triadimenol(0.01)	Triazophos(0.01)
Triadimefon(0.01)	Tetrachlorvinphos(0.01)	Tetrasul(0.01)
Chlorfenson(0.01)	Cyanophos(0.01)	Fenitrothion(0.01)
Methidathion(0.01)	Isocarbophos(0.01)	cis-Chlordane(0.01)
Tecnazene (0.01)	Nitrothai-isopropyl(0.01)	Terbutylazine(0.01)
Terbufos(0.01)	Etridiazol(0.01)	DEF(Tribufos)(0.01)
Carboxin(0.01)	Trifloxystrobin(0.01)	Pentachlorobenzene(0.01)
Quintozene(0.01)	Penconazole(0.01)	Tebuconazole(0.01)

The report results only relate to the samples as received and analysed; No partial copies of this report are allowed at any time without the written permission of the laboratory; ALEX STEWART Alex Stewart General Terms and Conditions apply, which are available on request.

ASACN-RP-244



Simazine(0.01)	Uniconazole(0.01)	Dinobuton(0.01)
Bromopropylate(0.01)	Deltamethrin(0.01)	Phosmet(0.01)
Disulfoton(0.01)	Acetochlor(0.01)	Azinphos Ethyl(0.01)
Bromophos-ethyl(0.01)	Ethion(0.01)	Diehafen carb(0.01)
Bupirimate(0.01)	Etrimesfos(0.01)	Vinclozolin(0.01)
Oxyfluorfen(0.01)	Chlorobenzilate(0.01)	Isodrin(0.01)
Metolachlor(0.01)	Isoprocarb(Isoprocarb-1 and Isoprocarb-2)(0.01)	Iprobenfos(0.01)
Endrin(0.01)	Iprodione(0.01)	Isofenphos(0.01)
Imazalil(0.01)	Crufomate(0.01)	Piperonyl butoxide(0.01)
Butralin(0.01)	/	/
Parameter	Method	Instrument
168 Pesticide residues	GB/T 20770-2008	LC-MS/MS
*Carbofuran-3-Hydroxy(0.01)	*Carbofuran-3-keto(0.01)	*Thiabendazole-5-hydroxy(0.01)
*Abamectin(0.01)	*Abamectin B1a(0.01)	*Abamectin B1b(0.01)
*Emamectin(0.01)	*Emamectin(Sum)(0.01)	*Fenthion-oxon-sulfone(0.01)
*Fenthion-oxon-sulfoxide(0.01)	*Tribenuron-methyl(0.01)	*Benzomyl(0.01)
*Fenamiphos(Sum)(0.01)	*Haloxypoph(0.01)	*Bensulfuron-methyl(0.01)
*Prallethrin(0.01)	*Pyrethrins(0.01)	*Diflubenzuron(0.01)
*Semiamitraz(0.01)	*Iodosulfuron-methyl(0.01)	*Cyflumetofen(0.01)
*Diafenthiuron(0.01)	*Butocarboxim-sulfoxide(0.01)	*Butocarboxim(Sum)(0.01)
*Carbendazim(Sum)(0.01)	*Spinosad A(0.01)	*Spinosad D(0.01)
*Spinosad(Sum)(0.01)	*Diazinon-O-analog(0.01)	*Dibrom(0.01)
*Formetanate(0.01)	*Fensulfothion-Oxon-Sulfone(0.01)	*Rimsulfuron(0.01)
*Triflusulfuron-methyl(0.01)	*Fluopicolide(0.01)	*Flufenoxuron(0.01)
*Flonicamid(0.01)	*Chlorfluazuron(0.01)	*Prosulfuron(0.01)
*Fluoxastrobin(0.01)	*Noveluron(0.01)	*Silthiofam(0.01)
*Lenacil(0.01)	*Chromafenozide(0.01)	*Asulam(0.01)
*Emamectin-Benzene(0.01)	*Phorate-oxon-sulfoxide(0.01)	*Phorate(Sum)(0.01)
*Phorate-oxon(0.01)	*Dimethylvinphos(0.01)	*Primisulfuron-methyl(0.01)
*Carbofuran(Sum)(0.01)	*Bifenazate(0.01)	*Chlorantraniliprole(0.01)
*Spirotetramat(0.01)	*Spirotetramat-enol-glucoside(0.01)	*Spirotetramat-keto-hydroxy(0.01)
*Spirotetramat-enol(0.01)	*Spirotetramat-mono-hydroxy(0.01)	*Fenamidone(0.01)
*Methiocarb Sulfone(0.01)	*Cyromazine(0.01)	*1-Naphthol(0.01)
*Thiamethoxam(Sum)(0.01)	*Trifloxsulfuron(0.01)	*Pyridalyl(0.01)
*Oxamyl-oxime(0.01)	*Lufenuron(0.01)	*Amitraz(0.01)
*Amitraz(Sum)(0.01)	*Azimsulfuron(0.01)	*Aldicarb sulfoxide(0.01)
*Aldicarb(Sum)(0.01)	*Desmethyl-formamido-pirimicarb(0.01)	*Clethodim-sulfone(0.01)
*Clethodim-sulfoxide(0.01)	*Oxydemeton-methyl(Sum)(0.01)	*Nicosulfuron(0.01)
*Spinetoram(0.01)	*Ethiofen carb-sulfone(0.01)	*Iso-malathion(0.01)
*Tolfenpyrad(0.01)	Dicrotophos(0.01)	Fenthion Oxon(0.01)
Phenoxyrin(0.01)	Fenamiphos(0.01)	Imidacloprid(0.01)

The report results only relate to the samples as received and analysed; No partial copies of this report are allowed at any time without the written permission of the laboratory; ALEX STEWART Alex Stewart General Terms and Conditions apply, which are available on request.

ASACN-RP-244



Pyraclostrobin(0.01)	Deet(0.01)	Resmethrin(0.01)
Allethrin(0.01)	Neburon(0.01)	Chlorthiophos(0.01)
Tebufenozide(0.01)	Bromacil(0.01)	Norflurazon(0.01)
Tepraloxydim(0.01)	Trichlorfon(0.01)	Napropamide(0.01)
Fonofos(0.01)	Butoxycarboxim(0.01)	Butocarboxim(0.01)
Acetamiprid(0.01)	Carbendazim(0.01)	Diazinon(0.01)
Famphur(0.01)	Dinotefuran(0.01)	Furalaxyd(0.01)
Haloxyfop-methyl(0.01)	Fluridone(0.01)	Fomesafen(0.01)
Thiobencarb(0.01)	Fenhexamid(0.01)	Propineb(0.01)
Paraoxon-methyl(0.01)	Thiophanate-methyl(0.01)	Methoxyfenozide(0.01)
Haloxyfop-R-methyl(0.01)	Thiofanox Sulfone(0.01)	Thiofanox-sulfoxide(0.01)
Carbofuran(0.01)	Propargite(0.01)	Fenamiphos Sulfone(0.01)
Fenamiphos Sulfonoxide(0.01)	Chloridazon(0.01)	Phosfolan(0.01)
Thiodicarb(0.01)	Forchlorfenuron(0.01)	Spirodiclofen(0.01)
Dalapon(0.01)	Triasulfuron(0.01)	Methomyl(0.01)
Chlorbenzuron(0.01)	Cyanazine(0.01)	Cyazofamid(0.01)
Clothianidin(0.01)	Thiacloprid(0.01)	Thiamethoxam(0.01)
Thifensulfuron-methyl(0.01)	Thiabendazole(0.01)	Hexythiazox(0.01)
Triflumuron(0.01)	Tridemorph(0.01)	Diphenamid(0.01)
Cymoxanil(0.01)	Clofentezine(0.01)	Aldicarb(0.01)
Aldicarb sulfone(0.01)	Phenmedipham(0.01)	Penycycluron(0.01)
Clethodim(0.01)	Nitenpyram(0.01)	Sethoxydim(0.01)
Phoxim(0.01)	Vamidothion Sulfone(0.01)	Vamidothion(0.01)
Oxydemeton-Methyl(0.01)	Etoxazole(0.01)	Disulfoton Sulfoxide(0.01)
Ethiprole(0.01)	Ethiofencarb-sulfoxide(0.01)	Ethofumesate(0.01)
Ethoxyquin(0.01)	Indoxacarb(0.01)	Coumaphos(0.01)
Atrazin(0.01)	Rotenone(0.01)	Fenpyroximate(0.01)

\* END \*