



T.C.
TARIM ve ORMAN BAKANLIĞI
MRL ÖZEL GIDA KONTROL LABORATUVARI
(TURKISH REPUBLIC MINISTRY OF AGRICULTURE AND FORESTRY
MRL PRIVATE FOOD CONTROL LABORATORY)
MUAYENE VE ANALİZ RAPORU
(ANALYSIS REPORT)



AB-0184-T
12304104/00
04-23

Rapor No / Revizyon No (Report No / Revision No) : 12304104 / 00
 Numuneyle İlgili Gelen Yazının Tarihi (Date of Incoming Letter Regarding the Sample) : -
 Analiz Amacı (Reason of Analysis) : ÖZEL (PRIVATE REQUEST)
 Numuneyi Gönderen Kurum / Kuruluş (Sample Sent by) :
 Adresi (Address) :

Rapor Tarihi (Report Date) : 19.04.2023
 Sayısı (Number) : -

Numune Alma Tutanağının Tarihi & Sayısı (Date and Number of Sampling Protocol) : - & -

Güvenlik Mühür No (Seal Number) : -

Numune Cinsi (Sample Type) : Kuru İncir (Dried Figs)
 Seri-Parti No (Serial-Lot) : - / 350058631/1-11-1834 / 1835
 Miktar (Amount) : 1015 g
 Son Tüketim Tarihi (Expiry Date) : -
 Üretici Firma Adı/Üretici Kodu (Producer Company/Code) : -/
 Numune Alan (Sample Taken by) : -
 Alındığı Tarih (Date of Sampling) : -
 Numune Kodu (Sample Code) : -
 Numunenin Kabul Tarihi & Saati (Date of Receipt) : 12.04.2023 11:15
 Analiz Başlama Tarihi (Date of Beginning Analysis) : 12.04.2023

Ambalajı (Package) : Kapalı Poly Ambalaj (Closed Poly Pack)
 Üretim Tarihi (Production Date) : -
 T. Edilen Tüketim Tarihi (R. Consumption Date) : -
 Marka (Brand) : -
 Yer (Picking Location) : -
 Gelış Şekli (Delivery of Sample) : Kargo (by Cargo)
 Sıcaklığı (°C) (Temperature) : 18.1
 Bitiş Tarihi (End of Analysis) : 19.04.2023

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)
Salmonella spp. Aranması (Detection of Salmonella spp.) ¹	Tespit Edilemedi (25 g) (Not Detected (25 g))				ISO 6579-1
Maya Sayımı (Mold Count)	2.6x10 ²		kob/g (cfu/g)		AOAC 2002.11
Küf Sayımı (Yeast Count)	3.4x10 ²		kob/g (cfu/g)		AOAC 2002.11
Aerobik Koloni Sayımı (AKS) (Aerobic Plate Count (APC)) ¹	2.35x10 ³		kob/g (cfu/g)		TS EN ISO 4833-1
Koliform Bakteri Sayımı (Enumeration of Coliform Bacteria) ¹	<10/g		kob/g (cfu/g)		ISO 4832
Escherichia coli Sayımı (Enumeration of Escherichia coli) ¹	<10/g		kob/g (cfu/g)		ISO 16649-2
Listeria monocytogenes Aranması (Detection of Listeria monocytogenes) ¹	Tespit Edilemedi (25 g) (Not Detected (25 g))				ISO 11290-1
Renk ve Görünüş (Sensory (Organoleptic) Analysis)	Kendine Özgü Renk ve Görünüşte (It's Own Color and Appearance)				TS 541
Tat ve Koku (Sensory (Organoleptic) Analysis)	Kendine Özgü Tat ve Kokuda (It's Own Taste and Odor)				TS 3707 ISO 5492
Nem (Rutubet) (Moisture)	21.50		%		TS 541
Kurşun (Pb) Tayini (Determination of Lead(Pb)) ¹	Tespit Edilemedi (Not Detected)	0.006	mg/kg		NMKL 186
Kadmium (Cd) Tayini (Determination of Cadmium(Cd)) ¹	Tespit Edilemedi (Not Detected)	0.004	mg/kg		NMKL 186
Civa (Hg) Tayini (Determination of Mercury(Hg)) ¹	Tespit Edilemedi (Not Detected)	0.010	mg/kg		NMKL 186
Pestisit Kalıntıları (Residues Of Pesticides) ¹	Tespit Edilemedi (Not Detected)		mg/kg		QuEChERS, AOAC 2007.01
Pestisit Kalıntıları (Residues Of Pesticides) ¹	Tespit Edilemedi (Not Detected)		mg/kg		QuEChERS, AOAC 2007.01

QuEChERS, UPLC-MS/MS - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

2,4,5-T	0.010	2,4-D	0.010	2,6-Dichlorobenzamide	0.010	3,4,5-Trimethacarb	0.005
Acephate	0.005	Acetamiprid	0.010	Acibenzolar-s-methyl	0.010	Acitidone(Cycloheximide)	0.010
Aldicarb	0.010	Aldicarb-Sulfone(Aldoxycarb)	0.005	Aldicarb-Sulfoxide	0.005	Alloxydim	0.010
Ametryn	0.005	Amidosulfuron	0.010	Aminocarb	0.010	Amitrol(Aminotriazole)	0.010
Anilazine	0.010	Anilofos	0.010	Aramite	0.010	Asulam	0.010
Atrazine	0.010	Atrazine,Desethyl-	0.005	Atrazine,Desisopropyl-	0.005	Azaconazole	0.010

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-imzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=f6f63858-57e7-4b4a-9a24-7369a70cfbe610>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.mrl.com.tr/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.mrl.com.tr/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.

Yapılan Analizler
(Analyses)

Sonuç/Ölçüm Belirsizliği
(Result/Uncertainty)

Ölçüm Limiti
(LOQ)

Birim
(Unit)

Geri Kazanım
(Recovery)

Analiz Metodu
(Analyses Method)

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Azadiracthrin	0.010	Azamethiphos	0.010	Azimsulfuron	0.010	Azinphos-methyl	0.005
Aziprotryne	0.010	Azocyclotin	0.005	Azoxystrobin	0.010	Barban	0.010
Benazolin	0.010	Bendiocarb	0.010	Bensulfuron-methyl	0.010	Bensulide	0.010
Bentazone	0.010	Benthiovalicarb isopropyl	0.010	Benzoximate	0.010	Benzthiazuron	0.005
Bifenazate	0.010	Bifenox	0.010	Boscalid(Nicobifen)	0.010	Bromacil	0.010
Bromoxynil	0.010	Bromuconazole	0.010	Bupirimate	0.010	Buprofezin	0.005
Butocarboxim	0.010	Butocarboxim-sulfoxide	0.005	Butoxycarboxim	0.010	Buturon	0.010
Carbaryl	0.005	Carbendazim/Benomyl	0.010	Carbetamide	0.010	Carbofuran	0.005
Carbofuran-3-hydroxy	0.010	Carboxin	0.010	Carfentrazone-ethyl	0.010	Carpropamid	0.005
Chlorbromuron	0.010	Chlorfluaazuron	0.010	Chloridazon	0.010	Chlorotoluron	0.005
Chloroxuron	0.010	Chlorsulfuron	0.010	Chlorthiamid	0.010	Cinosulfuron	0.010
Clethodim	0.010	Clodinafop-propargyl ester	0.010	Clofentezine	0.010	Clomazone	0.010
Clopyralid	0.010	Clothianidin	0.010	Coumachlor	0.010	Coumaphos	0.005
Cyanofenphos	0.010	Cyazofamid	0.005	Cyclanilide	0.010	Cycloxydim	0.010
Cyflufenamid	0.010	Cyhexatin	0.005	Cymoxanil	0.010	Cyproconazole	0.010
Cyprodinil	0.010	Cyromazine	0.010	Dazomet	0.010	Demeton-s-methyl	0.005
Demeton-s-methyl sulfone	0.010	Demeton-s-methyl-sulfoxide	0.010	Desmedipham	0.010	Desmetryn	0.010
Diaphenthiuron	0.010	Dicamba	0.010	Dichlorfluand	0.010	Dichlorvos(DDVP)	0.010
Dicrotophos	0.010	Diethofencarb	0.010	Difenoconazole	0.005	Difenoxuron	0.010
Diflubenzuron	0.010	Dimefox	0.010	Dimefuron	0.010	Dimethenamid	0.010
Dimethoate	0.010	Dimethomorph	0.010	Dimetilan	0.010	Dimoxystrobin	0.005
Diniconazole	0.010	Dinoseb	0.010	Dinoseb acetate	0.010	Dioxacarb	0.005
Dioxathion	0.010	Disulfoton	0.005	Disulfoton-sulfone	0.010	Disulfoton-sulfoxide	0.010
Dithianon	0.010	Diuron	0.010	DNOC	0.010	Dodine	0.010
Edifenphos	0.010	Endothal	0.010	EPN	0.010	Epoxiconazole	0.005
EPTC	0.010	Esprocarb	0.010	Ethidimuron	0.005	Ethiofencarb	0.010
Ethiofencarb-sulfone	0.010	Ethiofencarb-sulfoxide	0.010	Ethiprole	0.010	Ethirimol	0.010
Ethofumesate	0.010	Ethoxysulfuron	0.010	Etofenprox	0.010	Etoxazole	0.005
Fenamidone	0.010	Fenamiphos	0.010	Fenarimol	0.010	Fenbuconazole	0.010
Fenbutatin-oxide	0.010	Fenchlorazol-ethyl	0.005	Fenfuram	0.010	Fenhexamid	0.010
Fenoxaprop-p-ethyl	0.010	Fenoxycarb	0.010	Fenpiclonil	0.010	Fenpropimorph	0.010
Fenpyroximate	0.010	Fenthion	0.005	Fenthion-sulfoxide	0.010	Fenuron	0.005
Flazasulfuron	0.010	Flonicamid	0.010	Fluazinam	0.010	Fluazuron	0.010
Flubenzimine	0.010	Flucycloxuron	0.005	Fludioxonil	0.010	Flufenacet	0.005
Flufenoxuron	0.010	Fluometuron	0.010	Fluoxastrobin	0.010	Fluquinconazole	0.010
Fluridone	0.010	Fluroxypyr	0.010	Fluroxypyr-meptyl	0.010	Flurtamone	0.010
Flusilazole	0.010	Flutriafol	0.010	Fomesafen	0.010	Fonofos	0.005
Foramsulfuron	0.010	Forchlorfenuron	0.010	Formetanate	0.005	Fosthiazate	0.010
Fuberidazole	0.010	Furalaxyl	0.005	Furathiocarb	0.010	Furmecyclo	0.010
Halofenozide	0.010	Halosulfuron-methyl	0.010	Haloxifop-2-ethoxyethyl	0.010	Haloxifop-methyl	0.010
Heptenophos	0.010	Hexaconazole	0.010	Hexaflumuron	0.010	Hexazinone	0.005
Hexythiazox	0.010	Imazail	0.010	Imazamethabenz-methyl	0.005	Imazamox	0.010
Imazapyr	0.010	Imazaquin	0.010	Imazethapyr	0.010	Imazosulfuron	0.010
Imibenconazole	0.005	Imidacloprid	0.010	Indoxacarb	0.010	Iodosulfuron-methyl	0.010
Ioxynil	0.010	Iprovalicarb	0.010	Isazofos	0.010	Isocarbamide	0.010
Isocarbophos	0.010	Isofenphos methyl	0.010	Isomethiozin	0.010	Isonoruron(Noruron)	0.005
Isoxaben	0.010	Isoxaflutole	0.010	Isoxathion	0.005	Kresoxim-methyl	0.010
Lenacil	0.010	Linuron	0.010	Lufenuron	0.010	MCPA	0.010
Mecarbam	0.010	Mepanipyrim	0.010	Mephosfolan	0.005	Mesosulfuron-Methyl	0.005
Mesotrione	0.010	Metalaxyl-M	0.010	Metamitron	0.010	Metconazole	0.010
Methabenzthiazuron	0.010	Methamidophos	0.010	Methiocarb	0.010	Methiocarb-sulfone	0.010
Methiocarb-sulfoxide	0.010	Methomyl	0.010	Methoxyfenozide	0.010	Metobromuron	0.010
Metolcarb	0.010	Metosulam	0.010	Metoxuron	0.010	Metribuzin	0.010
Metsulfuron-methyl	0.010	Mevinphos	0.010	Monocrotophos	0.010	Monolinuron	0.010
Monuron	0.010	Myclobutanil	0.010	Naled	0.010	Napropamide	0.010
Neburon	0.010	Nicosulfuron	0.010	Nitenpyram	0.010	Novaluron	0.010
Nuarimol	0.010	Ofurace	0.005	Omethoate	0.010	Oxadixyl	0.010
Oxamyl	0.010	Oxasulfuron	0.010	Oxycarboxin	0.010	Paraoxon-ethyl	0.010
Paraoxon-methyl	0.005	Penconazole	0.010	Pencycuron	0.010	Pentachlor	0.010
Pethoxamid	0.005	Phenmedipham	0.010	Phorate-sulfone	0.010	Phosfolan	0.010
Phosmet	0.010	Phosphamidon	0.010	Phoxim	0.010	Picoxystrobin	0.005
Pirimicarb	0.005	Pirimicarb-desmethyl	0.010	Pirimicarb-desmethyl-formamid	0.010	Primsulfuron-methyl	0.010
Prochloraz	0.005	Profoxydim(Clefoxydim)	0.010	Promecarb	0.010	Prometon	0.010


Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-İmzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID= f6f63958-57e7-4b4a-9a24-7369a70cfbe610>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.mrl.com.tr/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.mrl.com.tr/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.



Yapılan Analizler
(Analyses)

Sonuç/Ölçüm Belirsizliği
(Result/Uncertainty)

Ölçüm Limiti
(LOQ)

Birim
(Unit)

Geri Kazanım
(Recovery)

Analiz Metodu
(Analyses Method)

Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)		
Propachlor	0.005	Propamocarb	0.010	Propanil	0.005	Propaquizafop	0.010
Propazine	0.010	Propiconazole	0.010	Propoxur	0.010	Propoxycarbazono	0.010
Proquinozide	0.005	Prosulfocarb	0.005	Prosulfuron	0.010	Prothioconazole	0.010
Pymetrozine	0.010	Pyraclostrobin	0.005	Pyraflufen-ethyl	0.010	Pyrazosulfuron-ethyl	0.010
Pyridaphenthion	0.010	Pyridate	0.010	Pyrifenox	0.010	Pyrimethanil	0.010
Pyrimidifen	0.010	Pyroquilon	0.010	Quinlorac	0.010	Quinmerac	0.010
Quinoclamine	0.010	Quizalofop-ethyl	0.005	Rimsulfuron	0.010	Rotenone	0.010
Sebuthylazine	0.010	Sethoxydim	0.010	Spinosad	0.010	Spirodiclofen	0.005
Spiroxamine	0.010	Sulcotrione	0.010	Sulfentrazone	0.010	Sulfometuron-methyl	0.010
Sulfosulfuron	0.005	Tebuconazole	0.010	Tebufenozide	0.005	Tebufenpyrad	0.005
Tebupirimfos	0.010	Tebuthiuron	0.005	Teflubenzuron	0.010	Temephos	0.010
TEPP(o,o-TEPP)	0.010	Tepraloxidim	0.010	Terbacil	0.010	Terbufos	0.010
Terbumeton	0.005	Tetraconazole	0.010	Thiabendazole	0.010	Thiacloprid	0.010
Thiamethoxam	0.010	Thiazafuron	0.010	Thidiazuron	0.010	Thifensulfuron-methyl	0.010
Thiodicarb	0.010	Thiofanox	0.010	Thiophanate-methyl	0.010	Tralkoxydim	0.010
Triadimefon	0.010	Triadimenol	0.010	Triasulfuron	0.010	Tribenuron-methyl	0.010
Trichlorfon	0.010	Tricyclazole	0.005	Tridemorph	0.010	Trifloxystrobin	0.005
Triflumizole	0.010	Triflumuron	0.010	Triflusaluron-methyl	0.010	Triforine	0.010
Trinexapac-ethyl	0.010	Triticconazole	0.010	Vamidotion	0.010	Vernolate	0.010
Zoxamide	0.010						

QuEChERS, GC-MSD - Analiz edilen pestisit etken maddeleri ve Ölçüm Limiti (LOQ) listesi. (Analyzed pesticide active substances list and reporting limits (RL))

Acetochlor	0.005	Aclonifen	0.005	Acrinathrin	0.005	Alachlor	0.005
Aldrin(HHDN)	0.005	Allethrin	0.010	Atraton	0.010	Azinphos-ethyl	0.005
Azobenzene	0.010	Beflubutamid	0.010	Benalaxyl	0.005	Benfluralin(Benefin)	0.010
Benfuracarb	0.010	Benfuresate	0.010	Benodanil	0.010	Benzoylprop-ethyl	0.010
Bifenthrin	0.005	Binapacryl	0.010	Biphenyl	0.010	Bitertanol (I,II)	0.010
Bromocyclen	0.010	Bromophos-ethyl	0.005	Bromopropylate (inc.4.4'-Dibromobenzophenone)	0.010	Butachlor	0.005
Butralin	0.005	Butylate	0.010	Cadusafos	0.010	Captafol	0.010
Captan(inc.Tetrahydrophthalimide)	0.010	Carbophenothion	0.010	Carbosulfan	0.010	Chinomethionat	0.005
Chlorbenside	0.005	Chlordane-cis (alpha)	0.005	Chlordane-trans (gamma)	0.005	Chlorfenapyr	0.005
Chlorfenprop-methyl	0.010	Chlorfenson	0.010	Chlorfenvinphos	0.005	Chlormephos	0.010
Chlorobenzilate	0.005	Chloroneb	0.010	Chloropropylate	0.010	Chlorothalonil	0.005
Chlorpropham	0.005	Chlorpyrifos	0.005	Chlorpyrifos-methyl	0.005	Chlorthal-dimethyl	0.005
Chlorthiophos	0.005	Chlozolinate	0.005	Cinidon-ethyl	0.005	Cloquincet-mexyl	0.010
Cyanazine	0.005	Cyanophos	0.010	Cycloate	0.005	Cycluron	0.010
Cyfluthrin (I,II,III,IV)	0.010	Cyhalofop-butyl	0.010	Cyhalothrin-gamma	0.010	Cyhalothrin-lambda	0.005
Cypermethrin(alpha,beta,theta,zeta)	0.010	DDD-2,4'	0.005	DDD-4,4'	0.005	DDE-2,4'	0.005
DDE-4,4'	0.005	DDT-2,4'	0.005	DDT-4,4'	0.005	Deltamethrin	0.010
Dialifos	0.005	Di-allate (I,II)	0.010	Diazinon	0.005	Dichlobenil	0.010
Dichlofenthion	0.005	Dichlormid	0.010	Dichloroaniline,3-5	0.010	Diclobutrazol	0.010
Diclofop-methyl	0.010	Dicloran	0.010	Dicofol(4.4'-Dichlorobenzophenone)	0.010	Dieldrin	0.005
Diflufenican	0.010	Dimepiperate	0.005	Dimethachlor	0.005	Dimethametryn	0.005
Dimethipin	0.010	Dinitramine	0.005	Dinobuton	0.010	Dinocap	0.010
Diphenamid	0.005	Diphenylamine	0.005	Ditalimfos	0.005	Dithiopyr	0.010
Dodemorph (I,II)	0.010	Endosulfan-alpha	0.005	Endosulfan-beta	0.005	Endosulfan-sulfate	0.005
Endrin	0.005	Esfenvalerate	0.010	Etaconazole	0.010	Ethalfuralin	0.005
Ethion	0.005	Ethoprophos	0.005	Ethoxyquin	0.010	Etridiazole	0.010
Etrimfos	0.005	Famoxadone	0.005	Famphur	0.010	Fenazaquin	0.005
Fenazox(Azoxybenzene)	0.010	Fenclorophos	0.005	Fenitrothion	0.005	Fenobucarb	0.010
Fenpropathrin	0.005	Fenpropidin	0.005	Fenson(CPBS,PCPBS)	0.010	Fensulfotion	0.010
Fenvelarate	0.005	Fipronil	0.005	Flamprop-methyl	0.005	Flamprop-m-isopropyl	0.005
Fluazifop-butyl	0.010	Fluazifop-p-butyl	0.005	Fluchloralin	0.005	Flucythrinate	0.010
Flumethrin	0.010	Flumetralin	0.010	Flumioxazine	0.010	Fluorochloridone	0.005
Flurprimidol	0.005	Flutolanil	0.010	Fluvalinate(Tau-fluvalinate)	0.005	Folpet	0.005
Formothion	0.005	Halfenprox	0.010	HCH-alpha isomer	0.005	HCH-beta isomer	0.010
HCH-delta isomer	0.005	Heptachlor	0.005	Heptachlor endo-epoxide	0.005	Heptachlor exo-epoxide	0.005
Hexachlorobenzene	0.005	Iodofenphos	0.005	Iprobenphos	0.005	Iprodione	0.005
Isodrin	0.010	Isoprocarb	0.010	Isoprothiolane	0.005	Isoproturon	0.005
Lindane(gamma-HCH)	0.005	Malaaxon(Malathion-o-analog)	0.005	Malathion	0.005	Mefenacet	0.010
Mefenpyr-diethyl	0.010	Mepronil	0.010	Metaxalyl	0.005	Metazachlor	0.010
Methacrifos	0.005	Methfuroxam	0.010	Methidathion	0.005	Methoprotryne	0.010
Methoxychlor	0.005	Metolachlor	0.005	Metrafenone	0.010	Mirex	0.010

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-İmzalı belge doğrulama linki: <https://trilms.sgs.com/Eimza/EimzaKontrol.aspx?ID=f6f63858-57e7-4b4a-9a24-7369a70cfbe610>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.mrl.com.tr/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.mrl.com.tr/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.



Yapılan Analizler (Analyses)	Sonuç/Ölçüm Belirsizliği (Result/Uncertainty)	Ölçüm Limiti (LOQ)	Birim (Unit)	Geri Kazanım (Recovery)	Analiz Metodu (Analyses Method)
Molinate	0.005	Nitralin	0.010	Nitrapyrin	0.010 Nitrofen
Nitrothal-isopropyl	0.005	Orbencarb	0.005	Ortho-phenylphenol	0.010 Oxadiazon
Oxyfluorfen	0.005	Paclobotrazol	0.010	Parathion-ethyl	0.005 Parathion-methyl
Pebulat	0.010	Pendimethalin	0.005	Pentachloroaniline	0.010 Pentachloroanisole
Permethrin	0.005	Perthane	0.005	Phenthoate	0.005 Phorate
Phosalone	0.005	Picolinafen	0.005	Piperophos	0.010 Pirimiphos methyl
Pirimiphos-ethyl	0.005	Procymidone	0.005	Profenofos	0.005 Profluralin
Prometryn	0.005	Propargite	0.005	Propetamphos	0.010 Propham
Propyzamide	0.005	Prothiophos	0.005	Pyrazophos	0.005 Pyridaben
Pyriproxyfen	0.005	Quinalphos	0.005	Quinoxifen	0.010 Quintozene
Resmethrin	0.005	S 421	0.010	Silafluofen	0.010 Simazine
Spiromesifen	0.010	Sulfotep	0.010	Sulprofos	0.010 TDCP
Tecnazene	0.005	Tefluthrin	0.005	Terbuthylazine	0.005 Terbuthylazine-desethyl
Terbutryn	0.005	Tetrachlorvinphos	0.005	Tetradiphon(Tetradifon)	0.005 Tetramethrin
Tetrasul	0.005	Thiazopyr	0.010	Thiobencarb(Benthiocarb)	0.010 Thiometon
Tiocarbazil (I,II)	0.010	Tolclofos-methyl	0.005	Tolyfluanid	0.005 Triallate(Tri-allylate)
Triazophos	0.010	Tribufos(DEF)	0.010	Trichloronat	0.005 Trietazine
Trifluralin	0.005	Vinclozolin	0.005		

Yapılan muayene ve analiz sonucunda yukarıda belirtilen değerler tespit edilmiştir. (Above mentioned values have been determined from the analytical work performed)

Deney laboratuvarı olarak faaliyet gösteren MRL Merkez Kalıntı Araştırma Laboratuvarı, TÜRKAK'tan AB-0184-T ile TS EN ISO/IEC 17025:2012 standardına göre akredite edilmiştir. (MRL Central Research and Control Laboratory accredited by TÜRKAK under registration number AB-0184-T for TS EN ISO/IEC 17025:2012 as test laboratory.)

Notlar (Notes)

- Bu analiz raporu adli-idari işlemlerde ve reklam amacıyla kullanılamaz. (This report shall not be used in the executive-judicial processes and for advertising purposes)
- Bu analiz raporunun hiç bir bölümü tek başına veya ayrı ayrı kullanılamaz. (This report with all parts is a whole, no part of this report can be used separately)
- Analiz sonuçları yukarıda belirtilen numune için geçerlidir. (Results of analysis belong to sample mentioned above)
- İznimiz alınmadan raporlarımız çoğaltılamaz ve yayımlanamaz. İmzasız ve mühürsüz raporlar geçersizdir. (No copy or no publish without permission. The report without signature and seal are invalid)
- LOQ: Minimum Ölçüm Limiti (LOQ: Limit Of Quantitation)

Açıklamalar (Description)

¹:Bu analiz akreditasyon kapsamındadır. (This analyze covered by accreditation.)

Numune Kabul ve Raporlama Böl. Kimya Bölüm Sorumlusu Sorumlusu

(Head of Sample Admisson and Reporting Dept.)

Gıda Mühendisi
(Food Engineer)
ONUR ÖZDEMİR

(Head of Chemical Department)

Kimyager
(Chemist)
AHMET TAŞKIRAN

Mikrobiyoloji Bölüm Sorumlusu

(Head of Microbiology Department)

Uzman Biyolog
(Senior Biologist)
MURAT ÇOKAKLI

Fiziksel Analiz Bölüm Sorumlusu

(Head of Physical Analysis Department)

Kimyager
(Chemist)
M. DENİZ ŞENAY

Analitik Kimya Bölüm Sorumlusu

(Head of Analytical Chemistry Department)

Kimyager
(Chemist)
A. MULLA BİRER

e-imzalıdır

e-imzalıdır

e-imzalıdır

e-imzalıdır

e-imzalıdır

19.04.2023

Tasdik Olunur (Approved by)
Laboratuvar Müdürü (Laboratory Manager)
Gıda Yüksek Mühendisi (Food Engineer M.Sc.)
ORHAN GÖZEN

e-imzalıdır

Not: 5070 sayılı Elektronik İmza Kanunu gereği elektronik imza ile imzalanmıştır.

E-imzalı belge doğrulama linki: <https://trlms.sgs.com/Eimza/EimzaKontrol.aspx?ID=f6f63858-57e7-4b4a-9a24-7369a70cfbe610>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.mrl.com.tr/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.mrl.com.tr/terms_e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 15 days only.